

# Emgality<sup>®</sup> 300 mg can help reduce the number of weekly cluster headache attacks that occur during a cycle

**Emgality<sup>®</sup>**  
(galcanezumab-gnlm)  
300 mg injection

Emgality 300 mg is the first and only medication approved for the treatment of episodic cluster headache that reduces the number of attacks.

This guide provides information on:

How Emgality 300 mg  
can help

Savings and  
support

How to use  
Emgality 300 mg

## Indication

Emgality is a prescription medicine indicated in adults for the treatment of episodic cluster headache.

## Select Safety Information

Do not use Emgality if you are allergic to galcanezumab-gnlm or any of the ingredients in Emgality.

Please see Purpose and Safety Summary on page 7. See Instructions for Use included with the device.

**SAVINGS  
CARD  
INSIDE\***

\*Subject to Terms and Conditions; governmental beneficiaries excluded; see page 3.

# How Emgality 300 mg can help

Emgality can cut weekly cluster headache attacks in half or more

At the beginning of a study, people averaged **18 cluster headache attacks** each week during an episodic cluster headache cycle

**9 fewer weekly attacks**

Over the first 3 weeks, people taking Emgality had an average of **9 fewer attacks each week** vs **5 fewer attacks each week** for those taking placebo.

**71% cut in half**

Weekly cluster headache attacks were **cut in half or more for 71%** of patients 3 weeks after taking their first dose of Emgality vs **53% for placebo**.

## Select Safety Information

Emgality may cause allergic reactions, such as itching, rash, hives, and trouble breathing. Allergic reactions can happen days after using Emgality. Call your healthcare provider or get emergency medical help right away if you have any of the following symptoms, which may be part of an allergic reaction:

- swelling of your face, mouth, tongue, or throat
- trouble breathing

Please see Purpose and Safety Summary on page 7. See Instructions for Use included with the device.

# Experience Emgality for as little as \$0 for up to 12 months with the Savings Card\*

Emgality (galcanezumab-gnlm) injection

Pay as little as **\$0** for up to 12 months with the Emgality® Savings Card\*

Activate your Emgality Savings Card by visiting [www.Emgality.com/savings](http://www.Emgality.com/savings) or call 1-833-EMGALITY (1-833-364-2548) or text "activate" to 55900. Msg & data rates may apply. Once activated, present this Savings Card to the pharmacist when you pick up your prescription.

Rx BIN: <XXXXXXXX>  
PCN: <XX>  
GRP: <XXXXXXXXXX>  
ID#: <XXXXXXXXXX>

This offer is invalid for patients whose prescription claims are eligible to be reimbursed, in whole or in part, by any governmental program.

\*See reverse for Terms and Conditions. This card expires on 12/31/2021.

**TO THE PHARMACIST:**

- \*This card must be accompanied by a valid prescription for Emgality (galcanezumab-gnlm) and can only be used by one patient. By accepting this offer, you certify that you understand and agree to comply with the other terms and conditions.
- \*\*You are required to disclose the terms of your savings card to your pharmacist and pharmacist is required to verify you are not reimbursed for this offer.
- \*\*This offer is valid for commercially insured patients. Offer is not valid for patients who are eligible to have their prescriptions reimbursed in whole or part by any governmental program.
- \*\*Please refer to card for details.
- \*\*Card may be used for up to 12 months of Emgality.
- \*\*Starting claim online to RxBIN 0384. Processor requires valid Prescriber (DR, PCN, Patient Name, and DOB for claim adjudication).
- \*\*Card may be used for up to 12 months of Emgality.
- \*\*Patients with commercial drug insurance may be able to pay as little as \$0 for their first fill of Emgality. For the 2<sup>nd</sup> and subsequent fills, patients must have coverage for Emgality through their commercial drug insurance plan to continue to pay as little as \$0 per fill.
- \*\*Financial assistance for a patient with an eligible third party payer:
- **For Insured/Covered Patients:** Submit this claim to the primary Third Party Payer first, then submit the balance due to CHANGE HEALTHCARE as a Secondary Payer. Benefits claim with patient responsibility amount and valid Other Coverage Code #1. This will reduce the eligible patient's out of pocket costs to as little as \$0 on a 30-day supply, subject to a maximum savings limit for the program. Reimbursement will be received from CHANGE HEALTHCARE.
- **For Insured/Not Covered Patients:** Submit the claim to the primary Third Party Payer first. If the primary claim is processed through a governmental program, please refer to the appropriate government website for details regarding the claim and reimbursement process for your program. Reimbursement will be received from CHANGE HEALTHCARE.
- **For Uninsured/Not Covered Patients:** Submit the claim to the primary Third Party Payer first. If the primary claim is processed through a governmental program, please refer to the appropriate government website for details regarding the claim and reimbursement process for your program. Reimbursement will be received from CHANGE HEALTHCARE.
- **For Uninsured/Not Covered Patients:** Submit the claim to the primary Third Party Payer first. If the primary claim is processed through a governmental program, please refer to the appropriate government website for details regarding the claim and reimbursement process for your program. Reimbursement will be received from CHANGE HEALTHCARE.

Offer will only work on the patient's first fill using the savings card.

\*\*Pharmacist with questions, please call the Help Desk at 1-855-262-4888.

**Terms and Conditions:**

By using the Emgality Savings Card ("Card"), you attest that you meet the eligibility criteria, agree to, and will comply with the terms and conditions described below. Offer good until 12/31/2021. Offer good only for Emgality. Patients with commercial drug insurance may be able to pay as little as \$0 for their first fill of Emgality. For the 2<sup>nd</sup> and subsequent fills, patients must have coverage for Emgality through their commercial drug insurance plan to continue to pay as little as \$0 per fill. Offer subject to a monthly savings of wholesale acquisition cost plus state and customary pharmacy charges and a separate \$4500 maximum annual savings. Participation in the program is limited to patients with commercial drug insurance. Patients are responsible for any applicable state, federal, or other applicable laws and regulations. This offer is invalid for patients without commercial drug insurance or those whose prescription claims are eligible to be reimbursed, in whole or in part, by any governmental program, including, without limitation, Medicaid, Medicare, Medicare Part D, Medicare OOS, VA, TRICARE CHAMPVA, or any state patient or pharmaceutical assistance program. \*You live in Massachusetts, the Card expires on the earlier of (i) the expiration date of this Card (12/31/2021); (ii) the date an affiliated person becomes available; or (iii) 12/31/2020, absent a change in Massachusetts state law. If you live in California, the Card expires on the earlier of (i) the expiration date of this Card (12/31/2021) or (ii) the date an FDA-approved therapeutically equivalent for Emgality or one of the other products with the same active ingredient becomes available. Available only in the US and Puerto Rico for residents of the US and Puerto Rico. By accepting this offer, you agree that you are required to do so under the terms of your insurance coverage for this prescription and otherwise required to do so by law, you should notify your insurance carrier of your use of this Card. This offer cannot be combined or utilized with any other program, discount, coupon, Card, cash discount, cash coupon, incentive, or similar offer involving Emgality. It is prohibited for any person to sell, purchase, trade, or in any other way, barter, or otherwise use this Card. This offer may be terminated, suspended, renewed, or amended by Lilly USA, LLC, at any time without notice. Card activation required. This Card is not redeemable. This Card expires on 12/31/2021.

Emgality® is a registered trademark owned or licensed by Eli Lilly and Company, its subsidiaries, or affiliates.  
PH-02-US-098 10/2019 ©Lilly USA, LLC 2019. All rights reserved.

\*Terms and Conditions and eligibility requirements apply. Please see the full Terms and Conditions [here](#).

To activate the Savings Card:

- Visit **Emgality.com/savings** or
- Call **1-833-EMGALITY (1-833-364-2548)** or text "activate" to **55900**. Msg & data rates may apply.
- Ensure your healthcare provider submits a Prior Authorization form to your insurance company with your prescription
- Present this Savings Card to the pharmacist when you pick up your prescription

If you have additional questions, call your doctor or the Emgality Answers Center at **1-833-EMGALITY (1-833-364-2548)**, Monday through Friday from 9 AM to 8 PM ET.

**Emgality®**  
(galcanezumab-gnlm)  
300mg injection

# Getting started with Emgality 300 mg

At the beginning of your cluster headache cycle, take 1 dose (3 syringes) of Emgality and then continue monthly until the end of your cluster cycle

**1 dose.  
1x a  
month**

during a  
cluster  
headache  
cycle

- 1 dose (300 mg) comes in 3 prefilled syringes
- Administer the 3 injections (100 mg each) one after the other
- Continue to take monthly until the end of the cluster cycle

Consider having Emgality 300 mg on hand to be prepared to take at the start of your next cluster cycle

Ensure you:

- Refrigerate product at 2°C to 8°C (36°F to 46°F) and in the original carton to protect it from light until use
- Check expiration date on product prior to use


## Common side effects

Before starting any medication, it is important to consider some of the most common side effects. In a clinical trial, the most common side effects were injection site reactions.

Please see Purpose and Safety Summary on page 7. See Instructions for Use included with the device.

# 3 key steps to inject Emgality 300 mg

Administer Emgality in the comfort of your own home



**Prior to injecting, choose an area for injection:**

- If **self-injecting**, choose the **abdomen** or **thigh**
- If **another person** is injecting, choose the **buttocks** or **back of upper arm**

Be sure not to inject in the exact same spot more than once. Always clean the injection site with an alcohol wipe and let it dry before injecting.

**1**

**Uncap the syringe**

**2**

**Gently pinch and hold a fold of skin and insert the needle at a 45-degree angle**

**3**

**Inject slowly**

**IMPORTANT:** These are abbreviated steps for using the prefilled syringe. When injecting Emgality, please refer to the Instructions for Use that come with your prefilled syringe.

Before you inject for the first time, your doctor should show you how to prepare and inject Emgality.




Text **BEGIN** to **55900** to receive the injection “how-to” video and other helpful resources delivered straight to your phone. Msg & data rates may apply.

**Emgality**<sup>®</sup>  
(galcanezumab-gnlm)  
300 mg injection

# How Emgality 300 mg works

Emgality was specifically developed to bind to CGRP, a substance in the brain that may play a key role in episodic cluster headache, and block its binding to the receptor



CGRP=calcitonin gene-related peptide.

## Select Safety Information

**Before you use Emgality, tell your healthcare provider if you are:**

- pregnant or plan to become pregnant. It is not known if Emgality will harm your unborn baby
- breastfeeding or plan to breastfeed. It is not known if Emgality passes into breast milk
- taking any prescription or over-the-counter medicines, vitamins, or herbal supplements

**Please see Purpose and Safety Summary on page 7. See Instructions for Use included with the device.**

## PURPOSE AND SAFETY SUMMARY

**Important Facts About Emgality®** (em-GAL-it-ē) injection. Also known as galcanezumab-gnlm.

Emgality is a prescription medicine used in adults for the treatment of episodic cluster headache. The medicine comes in 3 prefilled syringes, which are taken one after the other at the start of a cluster period and then every month until the end of the cluster period.

### Warnings

Do not use Emgality if you are allergic to galcanezumab-gnlm or any of the ingredients in Emgality.

Emgality may cause allergic reactions, such as itching, rash, hives, and trouble breathing. Allergic reactions can happen days after using Emgality. Call your healthcare provider or get emergency medical help right away if you have any of the following symptoms, which may be part of an allergic reaction: swelling of your face, mouth, tongue, or throat, or trouble breathing.

### Common side effects

The most common side effects of Emgality are injection site reactions.

These are not all the possible side effects of Emgality. Tell your doctor if you have any side effects.

**You can report side effects at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).**

### Before using

**Before you use Emgality, discuss these questions with your doctor:**

- Do you have other medical conditions?
- Do you take other medicines? Tell your doctor about all the prescription and over-the-counter drugs, vitamins, and herbal supplements you take.

### Tell your doctor if:

- You are pregnant or breastfeeding.
- You are under age 18. It is not known if Emgality is safe and effective in children.

### How to take

- Read the Instructions for Use that come with Emgality. There you will find information about how to store, prepare, and inject Emgality.
- Use Emgality exactly as your doctor says.
- If you miss a dose, inject it as soon as possible. Then, if your cluster period has not ended, inject Emgality one month after your last dose to get back on a monthly dosing schedule.

### Learn more

For more information, go to [www.emgality.com](http://www.emgality.com) or call 1-833-EMGALITY (1-833-364-2548) Monday - Friday, 9 AM - 8 PM EST.

This summary provides basic information about Emgality, but it does not include all information known about this medicine. Read the information that comes with your prescription every time you have a prescription filled. Talk to your doctor or pharmacist about this information. Your doctor is the best person to help you decide if Emgality is right for you.

GZ CON ECH BS 04JUN2019

**Please see Instructions for Use that come with the device.**

**Emgality®**  
(galcanezumab-gnlm)  
300 mg injection

# Discover what Emgality 300 mg can do

**Emgality**<sup>®</sup>  
(galcanezumab-gnlm)  
300 mg injection



Emgality can help **reduce the number of weekly attacks** that occur during an episodic cluster headache cycle



**One monthly dose** (300 mg) comes in 3 prefilled syringes (100 mg each) that should be injected at the beginning of your cluster cycle, and then monthly until the end of your cluster cycle

## Select Safety Information

Do not use Emgality if you are allergic to galcanezumab-gnlm or any of the ingredients in Emgality.

Visit [Emgality.com/cluster](https://www.emgality.com/cluster) for more information.

Please see Purpose and Safety Summary on page 7.  
See Instructions for Use included with the device.

*Lilly*

Emgality<sup>®</sup> is a registered trademark owned or licensed by Eli Lilly and Company, its subsidiaries, or affiliates.  
PP-GZ-US-0973 01/2020 ©Lilly USA, LLC 2020. All rights reserved.

